

Aussie Pumps



WE'RE FOR AUSTRALIA



POWERED by HONDA™



SELF-PRIMING PUMPS | HIGH PRESSURE CLEANERS | HYDROSTATIC TESTERS

AUSSIE QP FIRE PUMPS HIGH PRESSURE / FLOW

Honda GX series engine ...

- Quieter & cleaner
- Starts first time, every time
- Better fuel economy
- Emissions compliant
- Electric start options
- 4 stroke ... no fuel mixing
- 3 year Honda GX series engine warranty (except Aussie Fireman .. GP series)

Aussie QP fire pump range ...

- Out perform & out-feature all others
- Fast self priming from 7.6 metres
- Large single piece impeller ... biggest in the market
- 3 way outlet (1½" & two 1")
- 2" inlet ... lets more water in so it can get even more out!



See Pump Smart for full range

Aussie Fire Chief

- Portable fire pump
- 5.5HP GX160
- Total head 75m
- Max flow 450 lpm



QP205SE/GX160

FREE
Skids & handle

Aussie Fireman

- Domestic fire pump
- Total head 60m
- Max flow 450 lpm
- 5.5HP GP160

FREE
Skids & handle



QP-25/GP160

Aussie Fire Captain Plus

- Portable fire pump
- 6.5HP GX200
- Total head 75m
- Max flow 450 lpm

Electric start option



QP205SL/GX200RFF

Aussie Mr T Twin

- High performance fire pump
- 9HP GX270 & 13HP GX390
- Optional long range fuel tank available
- Total head 95m
- Max flow 500 lpm

Electric start options



QPT205SLT/GX390E

fire fighting | water transfer | irrigation

2021

AUSTRALIAN PUMP Industries

+61 2 8865 3500

aussiepumps.com.au

AUSSIE QP DROUGHT BUSTERS

2", 3" & 4" HIGH PRESSURE & HIGH FLOW

POWERED by
HONDA™



Aussie Pumps



WE'RE FOR
AUSTRALIA

The Aussie QP range of high pressure & high flow transfer pumps are powered by premium Honda engines.

These quality pumps are backed with Honda's international service network. Most models available in either recoil or electric start.

Bigger pumps means water is moved efficiently, saving time, fuel and pump wear.

- Superb fuel efficiency
- Fast self priming ... first time every time.
- Marine grade aluminium body with replaceable suction port
- FREE full roll frame with anti vibration mounts
- Cast iron high SG impeller

High flow applications

- High volume water transfer
- Fill tankers fast
- Flood irrigation
- Site dewatering
- Irrigation

High pressure versions to 100 psi, 100m head ... applications

- Fire fighting ... village protection
- High pressure water transfer
- Wash & flush stock crate cleanout
- Tanker batter spray
- Dust suppression
- High head dewatering



QP402/GX240

Electric start options

See Pump Smart for full range

2" ... QP207 GX120

- 4HP GX120
- Max flow 600 lpm
- Primes from 7.6m
- Total head 30m



QP207/GX120

FREE
FRAME

2" HIGH FLOW ... QP209

- 5.5HP GX160 & 6.5HP GX200
- Total head 33m
- Max flow 800 lpm
- Primes from 7.6m



QP209/GX160

Electric start options

FREE
FRAME

3" ... QP303

- 5.5HP GX160 & 6.5HP GX200
- Total head 32m
- Max flow 1000 lpm
- Primes from 7.6m



QP303/GX160RFF

Electric start options

FREE
FRAME

3" HIGH FLOW* ... QP310

- 8HP GX240 & 13HP GX390
- Total head 30m
- Max flow 1,300 lpm
- Primes from 8.2m



QP310/GX240

Electric start options

FREE
FRAME

4" ... QP402*

- 8HP GX240 & 13HP GX390
- Total head 30m
- Max flow 1,800 lpm
- Primes from 8.2m



QP402/GX240

Electric start options

FREE
FRAME

6" ... QP602

- 13HP GX390 electric start
- Total head 23m
- Max flow 2,900 lpm
- Primes from 7.4m
- 16 litre fuel tank for extended running



QP602/GX390ELRG (with long range fuel tank)

Electric start CONVENIENCE

FREE
FRAME

AUSSIE QP TRASH PUMPS

DIRTY WATER SPECIALISTS

POWERED by **HONDA**™



The Aussie QP range trash pumps, powered by Honda petrol engines are designed to handle solids contaminated water.

Large, open vane impellers ensure solids pass through the pump.

- High SG cast iron impeller & volute ... wear resistant

- Silicon carbide mech seal
- Front mounted cleanout port ... clear blockages without the need to disconnect pipework
- Fast self-priming from 7.3m
- FREE coupling kit & strainer

Applications

- Wastewater transfer
- Effluent pump out
- Site dewatering
- Tailings dam pump out



2" ... QP203T

- 5.5HP GX160 & 6.5HP GX200
- Max flow 630 lpm, total head 27m
- Solids to 0.75"



QP203T/GX160

Electric start options

FREE FRAME

3" ... QP300T

- 5.5HP GX160 & 6.5HP GX200
- Max flow 850 lpm, total head 27m
- Solids to 0.75"



QP300T/GX160

Electric start options

FREE FRAME

3" ... HIGH FLOW QP301T

- 8HP GX240 & 13HP GX390E
- Max flow 1,200 lpm, total head 27m
- Solids to 1"



QP301T/GX390E

Electric start options

FREE FRAME

4" ... QP40T

- 13HP GX390E electric start
- Max flow 1,800 lpm, total head 24m
- Solids to 1.5"

QP40T/GX390E



Aussie Tanker Pumps

- High flow & high pressure options
- Fast self priming from 8m
- Replaceable flanged suction port
- Marine grade aluminium pump body
- Recoil & electric start options
- FREE coupling & strainer kit



Electric start options



Inlet/Outlet	Model	s/code	HP	PSI	Total head (m)	Max Flow (lpm)	Self primes to (m)
2"/3 way	QP205SL	QP205SLGX200ENF	6.5	107	75	450	7.6
3"x 3"	QP303	QP303/GX200E NF		45	32	1,000	
4"x 4"	QP402SL	QP402SLGX390ENF	13	71	50	1,450	8

Aussie GMP cast iron semi trash

- Silicon carbide/alumina mech seal
- Cast iron pump body
- Front opening port
- Big open impeller

3"x 3"	B3XR-A/ST	GB3XR-A/ST/390ENF	13	33	24	1300	6
--------	-----------	-------------------	----	----	----	------	---

Aussie Ultralites ... utility pumps



Lightweight 1 & 1½" utility pumps ... portable & effective

- Honda 4 stroke petrol engine
- Skids with rubber feet & carry handle
- Robust open impeller
- FREE 1" & 1½" strainer & coupling kit
- Flows to 210 lpm, pressures to 85 psi
- Nitrile seals
- QP154SX includes reducers for use with 1" hoses

1" ... QP1 (5KG)

- 1HP GX series
- Max flow 120 lpm
- Total head 40m



QP1/GX25

1.5" ... QP154SX (9.8KG)

- 2.5HP GX series
- Max flow 210 lpm
- Total head 60m



QP154SX/GXH50

AUSSIE SMART PUMPS FOR SMART FARMERS



POWERED by
HONDA™



- Strong, 30% glass filled polyester construction
- Genuine Honda GX200 6.5HP with 3 year warranty
- Lightweight & portable
- High head & high flow options
- Integrated handle
- Suction lift 7.6 metres
- 2" or 3" port options
- Viton & EPDM elastomers
- FREE skids & anti vib mounts

Electric start options



Seal compatibility

EPDM ... most ag chemicals
Viton ... aggressive chemicals
Check Chemical Compatibility chart

- Liquid fertilizer
- Ag chemical transfer
- Brine or salt water pumping
- Diesel fuel transfer
- High volume water transfer
- Stock feed
- Salt water



Smart Pump selection guide



NEW high flow chemical pump

- Flows to 1350 lpm, total head 24m
- Honda 13HP GX390 recoil or electric start

LEAK FREE CHEMICAL TRANSFER

2" EPDM RSE2BRL GX200

- 2" poly pump
- Max flow 835 lpm
- Total head 25m



RSE2BRL/GX200

2" VITON RSE2BRV GX200

- 2" poly pump
- Max flow 835 lpm
- Total head 25m



RSE2BRV/GX200

3" VITON RSE3BSV GX200

- 3" poly pump
- Max flow 1010 lpm ... fast tank filling!
- Total head 25m



RSE3BSV/GX200

2" 316 STAINLESS STEEL SMART PUMPS YOU NAME IT IT CAN PUMP IT!

- Corrosion resistant 316 stainless steel casing
- Honda GX200 6.5HP recoil & electric start options
- 2" BSP port external threads, 1½" BSP internal threads ... SMART DESIGN!
- Silicon carbide mech seal
- Viton elastomers
- FREE skids & handle
- Lightweight & portable



Electric start options

Poly internals

RISP2V

- Max flow 660 lpm
- Total head 23m
- Viton seals

RISP2V/GX200

Ryton internals

RISY2V

- Max flow 660 lpm
- Total head 23m
- Viton seals

RISY2V/GX200



AUSSIE SPRAYMASTER WAR ON WEEDS!

more power | more pressure | more value

- Top quality Udor diaphragm pump 20 to 40 bar
- Honda GX series engine
- FREE stainless steel scoop frame

Electric start options

- Wash-down gun to suit also available



KAPPA 43

- 40 BAR (568 psi)
- 44 lpm flow
- 6.5HP GX200
- 2-way outlet



SKAPPA43/GX200

DELTA 75

- 40 BAR (568 psi)
- 75 lpm flow
- 13HP GX390
- 3-way outlet



SDELTA75/GX390

DELTA 125

- 40 BAR (568 psi)
- 125 lpm flow
- Honda 13HP
- 3-way outlet



SDELTA125/GX390

AUSSIE JETTERS

DRAIN CLEANING REVOLUTION

Designed by plumbers for plumbers



POWERED by **HONDA**



- Genuine industrial twin cylinder **Honda** engine
- **“Big Bert”** Bertolini heavy duty pump designed for continuous service
- **NEW 30 litre stainless steel break tank** with cut off float and low water cut out pump protection
- **NEW Stainless frame** with anti-vibration mounts
- **NEW cube configuration, compact ute mount** includes **FREE Cobra Loc**
- **Trolley mounted** options with 10” pneumatic tyred wheels with sealed bearings
- **NEW 5,000 psi rated hose reel** with 60m 1/4” R8 high quality sewer hose
- **ASP (Aussie Safety Protection)** including unloader valve and safety valve.
- **Complete 7 piece Aussie Jettors Nozzle Box** featuring Turbo Root Mulcher, Predator, Negotiator, Compressor nozzles and tip cleaner
- Class B jettors supplied with emergency stop & hose restraint

Electric start
CONVENIENCE



NEW
STAINLESS
STEEL FRAME

Cobra loc ... compact,
20% more space efficient

Call for **FREE Jetter Operator Safety Standards info**

CLASS A models ... NO Operator Certification

Model	S/code	Pump pressure (psi)	Flow (lpm)	Engine	Clears drains to	Configuration
Cobra A	ABSSCOBRA-A-CUBE	4,000	20	GX630 23HP class 688cc	6" (150mm)	Cube mount
	ABSSCOBRA-A					Trolley
King Cobra A	ABSSCOBRAK-A-CUBE	5,000	16	GX630 23HP class 688cc	7" (180mm)	Cube mount
	ABSSCOBRAK-A					Trolley

CLASS B models ... Big boys toys!

King Cobra	ABSSCOBRAKINGCUBE	5,000	20	GX690 28HP class 688cc	7" (180mm)	Cube mount
	ABSSCOBRAKINGMK2	5,000	20	GX690 28HP class 688cc	7" (180mm)	Trolley

CLASS B models ... RTO operator certification mandatory



Trailer mounted jettors available for a self contained jetting option.



ACRADLECOBRA



AMINIREEL/WHOSE



AHOSER8 1/8 15M

FASTER | SMARTER | SAFER!



FREE AUSSIE SAFETY KIT



SAFETY EYEWEAR



SAFETY PLATE
WORTH \$208

JETTER ESSENTIALS ... COMPLETE THE PACKAGE

AUSSIE COBRA LOC
Secure your jetter, easy bolt down, simple to remove jetter for service

VIPER MINI REEL
60m 3/16th sewer hose on portable reel. Allows remote control of jetter

15M SUPER WORM HOSE
Super flexible 1/8" hose for small drains. Complete with jetting nozzle

POWERED by
HONDA™

GX
Engine
3
YEAR
WARRANTY

Aussie Pumps

WE'RE FOR
AUSTRALIA

AUSSIE HIGH PRESSURE BLASTERS Aussie Pocket Rocket ... TRADIES LOVE'M

Compact & robust, these blasters suit tradesmen & contractors.

Easy to mount optional hose reel for convenience & safety.... **GREAT VALUE**

Australia's
biggest range

of high pressure accessories ...
check Blaster Blitz online

- **Genuine Honda** with 3 year Honda GX engine warranty
- "Big Bert" Bertolini pump with 4 year warranty
- **Compact**, robust **NEW** stainless steel frame with steel wheels & **FLAT FREE** tyres.
- **Detergent** injection ... faster cleaning (AB30 ... not for use with 15m hose)
- **Pro** accessories, gun/lance & double wire braid high pressure hose
- **FREE Aussie safety protection kit** ... protects against pressure spikes & extended by-pass running
- Hose reel option
- **FREE PRO-FOAMER** kit with ABSS30/GX200HR (hose reel fitted)

3,000 psi AB30 (Aussie's Pocket Rocket)

- 4,785 psi EWP with **FREE Turbo**
- 10 lpm flow
- **Honda GX200** 6.5HP recoil start
- Optional steel reel with 15m high pressure hose (ABSS30/GX200HR)

ABSS30/GX200

4,000 psi AB40-GT More pressure for faster cleaning

- 6,485 psi EWP with **FREE Turbo**
- 13 lpm flow
- **Honda GX390** 13HP recoil start
- Optional steel reel with 30m high pressure hose (ADHR40100D)

ABSS40-GT/GX390



BERTOLINI
pumps
4 year warranty



NEW BIG 13"
FLAT FREE TYRES

4,000 PSI AB40-GT
ABSS40-GT/GX390

2021

AUSSIE HIGH PRESSURE BLASTERS

Honda powered Pro Scud ... The Real Deal!

Designed for pros who want a reliable, robust Honda petrol powered blaster for cleaning big plant or large areas.

- **Honda 13HP GX390 engine** (recoil & electric start options)
- **'Big Bertie'** Bertolini **slow speed** triplex pump ... 4 year warranty
- **NEW stainless steel Scud frame** & anti vib mounts, steel wheels with flat free tyres (13")
- **FREE ASP** (Aussie Safety Protection) kit
- **Detergent injection** ... faster cleaning
- **Gearbox drive** ... longer life
- **Easy fit 30m hose reel option**
- **Pro accessories** including 10 metres high pressure hose
- **Skid & trailer mount options** with integrated water tanks also available
- Scud 400 also available with factory fitted hose reel with 30m for extended reach



Electric start options

3,000 psi Scud 350

(Seriously tough blaster)

- 4,785 psi EWP with optional Turbo lance
- 15 lpm flow
- Optional Turbo CTN255-045

ABBSS350/GX390(E)

2,600 psi Scud 351

(Massive flow for real whack)

- 4,000 psi EWP with optional Turbo lance
- 21 lpm flow
- Optional Turbo CTN400-060

ABBSS351/GX390(E)

4,000 psi Scud 400

(More pressure for faster cleaning)

- 6,485 psi EWP with optional Turbo lance
- 15 lpm flow
- Optional Turbo CTN400-035
- Version with factory fitted hose reel with 30m hose (ABBSS400HR/GX390)



NEW STAINLESS STEEL FRAME



No operator certification

AUSSIE HYDRO-BLASTERS TO 500 BAR

Powerful Industrial Pressure Cleaners

Slow speed industrial blasters featuring Honda Twin Industrial engines ... **MORE pressure, MORE flow, MORE WHACK!**

- **NEW Premium 'Big Bertie'** heavy duty, **slow speed** triplex pump with 4 year warranty (**Raptor** uses Udor triplex pump)
- **Stainless steel frame** & anti vib mounts, steel wheels
- **FREE ASP** (Aussie Safety Protection) kit
- **18 litre fuel tank**
- **Heavy duty gearbox drive** provides OH&S safety benefits, minimal maintenance
- **Pro accessories** including 10m R2 wire braid hose, pro gun & dual stainless steel lance (Ultra A) or single lance (Predator A & Raptor)

4,000 psi Ultra A

(Class A... no operator certification)

- 6,485 psi EWP with optional Turbo lance
- 20 lpm flow
- **Honda GX630** 23HP Twin
- Bertolini TTL2028 triplex pump
- Optional Turbo CTN400-050

ABBSSULTA/GX630

5,000 psi Predator A

(Class A ... no operator certification)

- 8,500 psi EWP with optional Turbo gun
- 16 lpm flow
- **Honda GX630** 23HP Twin
- Stainless steel frame
- Bertolini KTL1635 triplex pump
- Optional Turbo CTN400-045GLK
- ABBSSPRED-A/GX630

7,300 psi Raptor 12

(500 bar) (Class B ... RTO operator certification required)

- 12,000 psi EWP with optional Turbo gun
- 12 lpm flow
- **Honda GX630** 23HP Twin
- Udor stainless steel pump
- Optional Turbo CTN500-020GLK

ABRAPTOR12/GX630E

NEW STAINLESS STEEL FRAME



NEW 5,000 psi Predator A Class in action

FASTER | SMARTER | SAFER



POWERED by
HONDA™



AUSSIE HEATWAVE Honda Mobile Steam Cleaner

Kills germs, bacteria & Corona

- Compact, portable steam cleaner, just connect to the tap.
- 12 volt, diesel fired burner
- Honda GX390 petrol engine with electric start
- Spiralast coil with lifetime warranty
- Stainless steel frame with integrated handles
- Flat free tyres on steel wheels
- Direct drive industrial triplex pump
- Integrated burst disc and safety relief valve
- Hose & pro accessories

4,000 psi Aussie Heatwave

- 6,485 psi EWP with optional Turbo
- 13 lpm flow
- 120°C
- Portable
- Powerful
- Cost effective
- Optional Turbo CTN400-030

HSM40004HH



AUSSIE/HONDA PLATINUM PARTNERSHIP



Aussie Pumps, leading supplier of pumps and pressure cleaners, joined with Honda to develop Australia's most comprehensive range of product for agricultural, industrial and domestic applications.

We choose Honda for

- Reliability
- Market reputation
- International Service Network

Our products are all carefully match tested & approved by Honda.



AUSSIE HYDROSTATIC TESTERS

FAST, EFFICIENT LEAK DETECTION ... 20 BAR - 500 BAR

For leak detection in pipe lines & pressure testing boilers, pumps & valves.

- Super high pressures to **500 BAR** (7,300 psi) & high flow (to 125 lpm) options
- Honda GX series engines
- Piston or diaphragm pump
- Double pressure gauge with lock-off valve
- Integrated control valve
- Gearbox drive
- Stainless steel trolley with 4 big flat free tyres



NEW
STAINLESS
STEEL FRAME

Australian Pump reserves the right to change specifications without notice.

Distributed by

AUSTRALIAN PUMP Industries

7 Gladstone Road, Castle Hill NSW 2154
+61 2 8865 3500 | info@aussiepumps.com.au
aussiepumps.com.au

RELIABLE PRODUCTS ... RELIABLE PEOPLE